



FERRIS STATE UNIVERSITY

SAFETY, HEALTH, ENVIRONMENTAL AND RISK MANAGEMENT

Dunk Tank Guidelines

The use and operation of dunk tanks pose unique hazards. The following guidelines have been developed to assist event organizers in mitigating those hazards while maintaining the integrity of the ride. Failure to comply with these guidelines could result in denial of the event. Please contact Risk Management at 213-591-2147 with any questions or concerns.

1. Before approval of your event, a layout showing the placement of the dunk tank must be submitted. Because large amounts of water will spill out of the tank during its operation, the dunk tank must be placed in a location that provides quick drainage of the water, and away from people and any electrical source. The Grounds department must approve the placement of the dunk tank.
2. In addition to a layout showing dunk tank placement, include the manufacturer's installation and use requirements the safety plan.
3. A Certificate of Insurance from the vendor and operator are required, indicating a minimum General Liability and auto limits of at least \$1 million per occurrence. The Certificate needs to list "Ferris State University" as an Additional Insured. If the Certificate of Insurance requires an endorsement for Additional Insured status, then that endorsement will need to be supplied with the Certificate of Insurance.
<https://tulip.ajgrms.com/>
4. To prevent possible injuries from a slip and fall, event organizers must keep the splash area around the dunk tank clear of observers and participants. The area where the ladder is located must also be clear to allow quick entry into the tank, in the event of an accident or injury.
5. Once setup of the dunk tank is complete, both the event organizer and operator of the ride must thoroughly inspect the tank for any hazards or damage that could be present, such as sharp edges, loose screws or bolts, or unsteady frame, and both must approve of the safety of the ride before operation begins. If possible, a test operation is recommended before the ride opens to participants.
6. The operator is responsible for the safe operation of the event and is expected to shut down the attraction if this can not be accomplished. The operator shall establish a safety plan that includes documented procedures for expected emergencies/injuries.
7. Below are minimum rules that must be followed during the operation of the dunk tank. Please familiarize participants with these rules:
 - a. The water level in the tank should be kept at least 6 inches from the top.
 - b. Dunkees (participants who will be getting into the tank) must be 18 years or

420 Oak Street
Prakken 153
Big Rapids, MI 49307-2020

Phone: (231) 591-2150
Fax: (231) 591-2978
Web: www.ferris.edu

October 2021



FERRIS STATE UNIVERSITY

SAFETY, HEALTH, ENVIRONMENTAL AND RISK MANAGEMENT

- older, at least five (5) feet tall, and able to swim. If under 18 years of age, dunkers (participants throwing the ball) must have approval from a parent or guardian.
- c. All sharp objects on the participant, such as glasses, jewelry, and watches, should be removed prior to getting into the tank.
 - d. Observers and participants should keep food and drinks away from the dunk tank.
 - e. Only one person is allowed on the seat or in the tank at one time.
 - f. The dunkee should never stand on the seat.
 - g. The dunkee should be sitting up straight, with hands on lap or knees.
 - h. Observers or participants are not allowed to hold onto the bars or put themselves or any object through the bars.
 - i. Only the operator or event organizer is permitted behind the tank or target area.
 - j. Participants under the influence of alcohol or drugs are not permitted in the tank.
 - k. Only participants under 250 pounds or the manufacturer's maximum weight limit are permitted in the tank.
 - l. Participants with physical or mental impairments should not be permitted in the tank, unless they or their guardian confirm they are fit to participate.
 - m. Participants with chronic knee or other joint conditions; previous back or neck injuries; respiratory conditions; heart or circulatory conditions; and those who are pregnant are encouraged to consult with their doctor before participating in the dunk tank.
 - n. Only balls provided by the dunk tank manufacturer are to be used.
 - o. When unattended by an adult, the dunk tank must be drained completely.
 - p. The ride must not be operated during inclement weather, which includes rain, lightning, wind exceeding 15 miles per hour, hail, or temperatures below 40 degrees.

Source: University of Central Florida

420 Oak Street
Prakken 153
Big Rapids, MI 49307-2020

Phone: (231) 591-2150
Fax: (231) 591-2978
Web: www.ferris.edu